

Exercise 12.1

Q.1 Prove that the centre of a circle is on the right bisectors of each of its chords.

Given

A, B, C are the three non-collinear points.


Required: To find the centre of the circle passing through A,B,C

Construction

Join B to C, A take \overline{PQ} is right bisector of \overline{AB} and \overline{RS} right bisector of BC, they intersect at O.

Join O to A, O to B, O to C.

\therefore O is the centre of circle.



Proof

Statements	Reasons
$\overline{OB} \cong \overline{OC}$ _____ (i)	O is the right bisector of \overline{BC}
$\overline{OA} \cong \overline{OB}$ _____ (ii)	O is the right bisector of \overline{AB}
$\overline{OA} = \overline{OB} = \overline{OC}$	From (i) and (ii)
Hence is equidistant from the A,B,C	
\therefore O is center of circle which is required	

Q.2 Where will the center of a circle passing through three non-collinear points? And Why?

Given

A,B,C are three non collinear points and circle passing through these points.

To prove

Find the center of the circle passing through vertices A, B and C.


Construction

(i) Join B to A and C.

(ii) Take \overline{QT} right bisector of \overline{BC} and take also \overline{PR} right bisector of \overline{AB} .

\overline{PR} and \overline{QT} intersect at point O. Join O to A,B and C. O is the center of the circle.

Proof



Statements	Reasons
\overline{QO} is right bisector \overline{BC}	
$\overline{OB} \cong \overline{OC}$... (i)	
\overline{PO} is right bisector of \overline{AB}	
$\overline{OA} \cong \overline{OB}$... (ii)	
So	
$\overline{OA} \cong \overline{OC} \cong \overline{OB}$	From (i) and (ii)
\therefore It is proved that O is the center of the circle.	

Q.3 Three village P,Q and R are not on the same line. The people of these villages want to make a children park at such a place which is equidistant from these three villages. After fixing the place of children park prove that the park is equidistant from the three villages.

Given


P,Q,R are three villages not on the same straight line.

To prove

The point equidistant from P,R,Q.

Construction

- (i) Joint Q to P and R.
- (ii) Take \overline{AB} right bisector of PQ and \overline{CD} right bisector of QR . \overline{AB} and \overline{CD} intersect at O.
- (iii) Join O to P, Q, R
The place of children part at point O.



Proof

Statements	Reasons
$\overline{OQ} \cong \overline{OR}$ (i)	O is on the right bisector of \overline{QR}
$\overline{OP} \cong \overline{OQ}$ (ii)	O is on the right bisector of \overline{PQ}
$\overline{OP} \cong \overline{OQ} \cong \overline{OR}$ (iii)	From (i) and (ii)
$\therefore O$ is on the bisector of $\angle P$	
Hence \overline{PO} is bisector of $\angle P$	

O is equidistant from P,Q and R

Theorem 12.1.3

The right bisectors of the sides of a triangle are concurrent.

Given


$\triangle ABC$

To prove

The right bisectors of \overline{AB} , \overline{BC} and \overline{CA} are concurrent.

Construction

Draw the right bisectors of \overline{AB} and \overline{BC} which meet each other at the point O. Join O to A, B and C.



Proof

Statements	Reasons
$\overline{OA} \cong \overline{OB}$ (i)	(Each point on right bisector of a segment is equidistant from its end points)
$\overline{OB} \cong \overline{OC}$ (ii)	As in (i)
$\overline{OA} \cong \overline{OC}$	from (i) and (ii)
\therefore Point O is on the right bisector of \overline{CA} (iv)	(O is equidistant from A and C)
But point O is on the right bisector of \overline{AB} and of \overline{BC} (v)	Construction
Hence the right bisectors of the three sides of triangle are concurrent at O	{from (iv) and (v)}

Theorem 12.1.4

Any point on the bisector of an angle is equidistant from its arms.

Given


A point P is on \overline{OM} , the bisector of $\angle AOB$

To Prove

$\overline{PQ} \cong \overline{PR}$ i.e P is equidistant from \overline{OA} and \overline{OB}

Construction

Draw $\overline{PR} \perp \overline{OA}$ and $\overline{PQ} \perp \overline{OB}$

Proof

Statements	Reasons
In $\triangle POQ \leftrightarrow \triangle POR$	
$\overline{OP} \cong \overline{OP}$	Common
$\angle PQO \cong \angle PRO$	Construction
$\angle POQ \cong \angle POR$	Given
$\therefore \triangle POQ \cong \triangle POR$	S.A.A \cong S.A.A
Hence $\overline{PQ} \cong \overline{PR}$	(Corresponding sides of congruent triangles)

Theorem 12.1.5 (Converse of Theorem 12.1.4)

Any point inside an angle, equidistant from its arms, is on the bisector of it.

Given

Any point P lies inside $\angle AOB$, such that


$\overline{PQ} \cong \overline{PR}$, where $\overline{PQ} \perp \overline{OB}$ and $\overline{PR} \perp \overline{OA}$

To prove

Point P is on the bisector of $\angle AOB$

Construction

Join P to O

Proof

Statements	Reasons
In $\triangle POQ \leftrightarrow \triangle POR$	
$\angle PQO \cong \angle PRO$	Given (Right angles)
$\overline{PO} \cong \overline{PO}$	Common
$\overline{PQ} \cong \overline{PR}$	Given
$\therefore \triangle POQ \cong \triangle POR$	H.S \cong H.S
Hence $\angle POQ \cong \angle POR$	(Corresponding angles of congruent triangles)
i.e, P is on the bisector of $\angle AOB$	

Exercise 12.2

Q.1 In a quadrilateral $ABCD$ $\overline{AB} \cong \overline{BC}$ and the right bisectors of $\overline{AD}, \overline{CD}$ meet each other at point N . Prove that \overline{BN} is a bisector of $\angle ABC$

Given

In the quadrilateral $ABCD$

$$\overline{AB} \cong \overline{BC}$$

\overline{NM} is right bisector of \overline{CD}

\overline{PN} is right bisector of \overline{AD}


They meet at N

To prove

\overline{BN} is the bisector of angle ABC


Construction join N to A, B, C, D

Proof



Statements	Reasons
$\overline{ND} \cong \overline{NA}$ _____ (i)	N is an right bisector of \overline{AD}
$\overline{ND} \cong \overline{NC}$ _____ (ii)	N is on right bisector of \overline{DC}
$\overline{NA} = \overline{NC}$ _____ (iii)	from (i) and (ii)
$\triangle BNC \leftrightarrow \triangle ANB$	
$\overline{NC} = \overline{NA}$	Already proved (from iii)
$\overline{AB} \cong \overline{CB}$	Given
$\overline{BN} \cong \overline{BN}$	Common
$\therefore \triangle BNA \cong \triangle BNC$	$S.S.S \cong S.S.S$
Hence $\angle ABN \cong \angle NBC$	Corresponding angles of congruent triangles
Hence \overline{BN} is the bisector of $\angle ABC$	

Q.2 The bisectors of $\angle A, \angle B$ and $\angle C$ of a quadrilateral $ABCP$ meet each other at point O . Prove that the bisector of $\angle P$ will also pass through the point O .



Given

$ABCP$ is quadrilateral. $\overline{AO}, \overline{BO}, \overline{CO}$ are bisectors of $\angle A, \angle B$ and $\angle C$ meet at point O .

To prove

\overline{PO} is bisector of $\angle P$

Construction:

Join P to O .

Draw $\overline{OQ} \perp \overline{AP}, \overline{ON} \perp \overline{PC}$ and $\overline{OL} \perp \overline{AB}, \overline{OM} \perp \overline{BC}$

Proof:

Statements	Reasons
$\overline{OM} \cong \overline{ON}$ _____ (i)	O is on the bisector of $\angle C$
$\overline{OL} \cong \overline{OM}$ _____ (ii)	O is on the bisector of $\angle B$
$\overline{OL} \cong \overline{OQ}$ _____ (iii)	O is on the bisector of $\angle A$
$\overline{OQ} \cong \overline{ON}$	From i, ii, iii
Point O lies on the bisector of $\angle P$	
$\therefore \overline{OP}$ is the bisector of angle P	

Q.3 Prove that the right bisector of congruent sides of an isosceles triangle and its altitude are concurrent.

Given $\triangle ABC$

$\overline{AB} \cong \overline{AC}$ due to isosceles triangle \overline{PM} is right bisector of \overline{AB}


\overline{QN} is right bisector of \overline{AC}

\overline{PM} and \overline{QN} intersect each other at point O

Required

The altitude of $\triangle ABC$ lies at point O

Join A to O and extend it to cut \overline{BC} at D.

Proof

Statements	Reasons
$m\overline{AB} \cong m\overline{AC}$	Given
$\frac{1}{2}m\overline{AB} = \frac{1}{2}m\overline{AC}$	Dividing both side by 2
$\overline{AQ} \cong \overline{AP}$	
In $\triangle AQQ \leftrightarrow \triangle APO$	
$\angle APO \cong \angle AQQ$	Each 90° (Given)
$\overline{AQ} \cong \overline{AP}$	Already Proved
$\overline{AO} \cong \overline{AO}$	Common
$\triangle APO \cong \triangle AQQ$	$H.S \cong H.S$
$\angle PAO \cong \angle QAO$ (i)	Corresponding angles of congruent triangles
$\triangle BAD \leftrightarrow \triangle CAD$	
$\overline{AB} \cong \overline{AC}$	Given
$\overline{AD} \cong \overline{AD}$	Common

$$\angle BAD \cong \angle CAD$$

$$\triangle BAD \cong \triangle CAD$$

$$\angle ODB \cong \angle ODC$$

$$m\angle ODM + m\angle ODC = 180^\circ$$

$$\therefore \overline{AD} \perp \overline{BC}$$

Point O lies on altitude \overline{AD}

Proved from (i)

$$S.A.S \cong S.A.S$$

Each angle is 90° (Given)

Supplementary angle

Q.4 Prove that the altitudes of a triangle are concurrent.

Given

In $\triangle ABC$

$\overline{AD}, \overline{BE}, \overline{CF}$ are its altitudes


i.e. $\overline{AD} \perp \overline{BC}, \overline{BE} \perp \overline{AC}, \overline{CF} \perp \overline{AB}$

Required $\overline{AD}, \overline{BE}$ and \overline{CF} are concurrent

Construction:

Passing through A, B, C take

$\overline{RQ} \parallel \overline{BC}, \overline{RP} \parallel \overline{AC}$ and $\overline{QP} \parallel \overline{AB}$ respectively forming a $\triangle PQR$



Proof

Statements

Reasons

$$\overline{BC} \parallel \overline{AQ}$$

Construction

$$\overline{AB} \parallel \overline{QC}$$

Construction

$\therefore \triangle ABCQ$ is a \parallel^m

Hence $\overline{AQ} \cong \overline{BC}$

Similarly $\overline{AB} \cong \overline{QC}$

Hence point A is midpoint RQ

And $\overline{AD} \perp \overline{BC}$

Given

$$\overline{BC} \parallel \overline{RQ}$$

Opposite sides of parallelogram ABCQ

$$\overline{AD} \parallel \overline{RQ}$$

Thus $\overline{AD} \perp$ is right bisector of \overline{RQ}

similarly \overline{BE} is a right bisector of \overline{RP} and

\overline{CF} is right bisector of \overline{PQ}

$\therefore \perp^s \overline{AD}, \overline{BE}, \overline{CF}$ are right bisector of sides of $\triangle PQR$

$\therefore \overline{AD}, \overline{BE}$ and \overline{CF} are

Concurrent

Theorem 12.1.6

The bisectors of the angles of a triangle are concurrent

Given

$\triangle ABC$

To Prove


The bisector of $\angle A$, $\angle B$, and $\angle C$ are concurrent

Construction:

Draw the bisectors of $\angle B$ and $\angle C$ which intersect at point I . From I , draw

$\overline{IF} \perp \overline{AB}$, $\overline{ID} \perp \overline{BC}$ and $\overline{IE} \perp \overline{CA}$

Proof




Statements	Reasons
$\overline{ID} \cong \overline{IF}$	(Any point on bisector of an angle is equidistance from its arms.)
Similarly $ID \cong IE$ $\therefore IE \cong IF$	Each $\cong ID$
So the point I is on the bisector of $\angle A$... (i)	
Also the point I is on the bisectors of $\angle ABC$ and $\angle BCA$... (ii)	Construction
Thus the bisector of $\angle A$, $\angle B$ and $\angle C$ are concurrent at I	{From (i) and (ii)}



Exercise 12.3

Q.1 Prove that the bisectors of the angles of base of an isosceles triangle intersect each other on its altitude.



Given

$\triangle ABC$


$\overline{AB} = \overline{AC}$ Due to isosceles triangle

Bisect $\angle B$ and $\angle C$ to intersect at point O Join A to D and extend to BC at D \overline{AD} is the altitude of $\triangle ABC$ $\overline{AD} \perp \overline{BC}$

Proof

Statements	Reasons
In $\triangle ABC$	
$\overline{AB} \cong \overline{AC}$	Given
$\angle B \cong \angle C$	Due to isosceles triangle opposite angle are congruent
$\frac{1}{2}m\angle B = \frac{1}{2}m\angle C$	Dividing both side by 2
$\angle 1 \cong \angle 3$	
$\triangle ABO \leftrightarrow \triangle ACO$	
$\overline{AO} = \overline{AO}$	
$\overline{AB} = \overline{AC}$	
$\overline{BO} \cong \overline{CO}$	Given
$\triangle ABO \cong \triangle ACO$	Due to isosceles triangle
$\triangle ABD \leftrightarrow \triangle ACD$	
$\overline{AD} \cong \overline{AD}$	
$\angle 7 \cong \angle 8$	
$\overline{AB} \cong \overline{AC}$	
$\triangle ABD \cong \triangle ACD$	
$\angle 5 + \angle 6 = 180$	
$\angle 5 = \angle 6 = 90^\circ$	
So $\overline{AD} \perp \overline{BC}$	Supplementary angles
\overline{AD} Passes from point O	

Q.2 Prove that the bisectors of two exterior and third interior angle of a triangle are concurrent



Given

ΔABC

Exterior angles are $\angle ABQ$ and $\angle BAP$ \overline{AT} and \overline{BS} intersect each other at point O therefore join O to C

Draw the angle bisector of C


$\angle 1 \cong \angle 2$

Construction

$\overline{OM} \perp \overline{CQ}, \overline{OL} \perp \overline{AB}, \overline{ON} \perp \overline{CP}$

Proof

Statements	Reasons
$\overline{ON} \cong \overline{OM}$(i)	
$\overline{OL} \cong \overline{OM}$(ii)	
$\overline{ON} \cong \overline{OL}$	
Hence Angle Bisector of C i.e $\angle 1 \cong \angle 2$	Comparing equation (i) and (ii)



Review Exercise 12

Q.1 Which of the following are true and which are false?

- (i) Bisection means to divide into two equal parts (True)
- (ii) Right bisection of line segment means to draw perpendicular which passes through the midpoint of line segment (True)
- (iii) Any point on the right bisector of a line segment is not equidistant from its end points (False)
- (iv) Any point equidistant from the end points of a line segment is on the right bisector of it (True)
- (v) The right bisectors of the sides of a triangle are not concurrent (False)
- (vi) The bisectors of the angles of a triangle are concurrent (True)
- (vii) Any point on the bisector of an angle is not equidistant from its arms (False)
- (viii) Any point inside an angle equidistant from its arms, is on the bisector of it (True)


Q.2 If \overline{CD} is right bisector of line segment \overline{AB} , then

- (i) $m\overline{OA} = \underline{\hspace{2cm}}$ (ii) $m\overline{AQ} = \underline{\hspace{2cm}}$

Solution


(i) $m\overline{OA} = m\overline{OB}$

(ii) $m\overline{AQ} = m\overline{BQ}$



Q.3 Define the following


(i) **Right Bisector of a Line Segment**



A line l is called a right bisector of a line segment if l is perpendicular to the line segment and passes through its midpoint.

(ii) **Bisector of an Angle**

A ray BP is called the bisector of $m\angle ABC$, if P is a point in the interior of the angle and $m\angle ABP = m\angle PBC$.



Q.4 The given triangle ABC is equilateral triangle and \overline{AD} is bisector of angle A, then find, the values of unknown x° , y° and z° .

Solution

In equilateral triangle all side are equal to each and there angle of the triangle equal to 60° .
So

$$\angle B = z^\circ = 60^\circ$$

\overline{AD} is the bisector of $\angle A$

$$\angle A = 60^\circ$$

\therefore When angle A is bisected

$$x^\circ = y^\circ$$


$$x^\circ = \frac{1}{2}m\angle A$$

$$= \frac{1}{2} \times 60^\circ$$

$$x^\circ = 30^\circ$$

$$y^\circ = 30^\circ \quad (\because x^\circ = y^\circ)$$

$$\text{So } x^\circ = y^\circ = 30^\circ$$



Q.5 In the given congruent triangle LMO and LNO find the unknowns x and m given

$$\triangle LMO \cong \triangle LNO$$

$$m\overline{LM} = m\overline{LN}$$

$$2x + 6 = 18$$

$$2x = 18 - 6$$


$$2x = 12$$

$$x = \frac{12}{2}$$

$$x = 6 \text{ Unit}$$

$$m\overline{MO} = m\overline{ON}$$

$$\therefore m = 12 \text{ unit}$$



Q.6 \overline{CD} is right bisector of the line segment \overline{AB}

(i) If $m\overline{AB} = 6\text{cm}$ then find the $m\overline{AL}$ and $m\overline{LB}$


Solution

L is the midpoint of \overline{AB}

$$\therefore m\overline{AL} = m\overline{LB}$$

$$m\overline{AL} = \frac{1}{2}m\overline{AB} = \frac{1}{2} \times 6$$

$$\text{So } m\overline{AL} = 3\text{cm}$$



$$m\overline{LB} = 3\text{cm} \quad (\because m\overline{AL} = m\overline{LB})$$

(ii) **If** $m\overline{BD} = 4\text{cm}$ **then find** $m\overline{AD}$

$m\overline{AD} = m\overline{BD}$ (Any point on the right bisector of a line segment is equidistant from its end points.)

$$m\overline{AD} = 4$$

$$m\overline{AD} = 4\text{cm}$$



Unit 12: Line Bisectors and Angle Bisectors

Overview

Right Bisector of a line segment:

Right bisection of a line segment means to draw a perpendicular at the mid-point of line segment.

Bisector of an angle:

Bisection of an angle means to draw a ray to divide the given angle into two equal parts.

Theorem 12.1.1

Statement:

Any point on the right bisector of a line segment is equidistant from its end points.

Given

A line \overline{LM} intersects the line segment \overline{AB} at the point C Such that $\overline{LM} \perp \overline{AB}$ and $\overline{AC} \cong \overline{BC}$. P is a point on \overline{LM}


To prove

$\overline{PA} \cong \overline{PB}$

Construction

Join P to the point A and B

Proof



Statements	Reasons
In $\triangle ACP \leftrightarrow \triangle BCP$	
$\overline{AC} \cong \overline{BC}$	Given
$\angle ACP \cong \angle BCP$	Given $\overline{PC} \perp \overline{AB}$, so that each \angle at $C = 90^\circ$
$\overline{PC} \cong \overline{PC}$	Common
$\therefore \triangle ACP \cong \triangle BCP$	S.A.S Postulate
Hence $\overline{PA} \cong \overline{PB}$	(Corresponding sides of congruent triangles)


Theorem 12.1.2

{Converse of Theorem 12.1.1}

Any point equidistant from the end points of a line segment is on the right bisector of it.

Given

\overline{AB} is a line segment. Point P is such that $\overline{PA} \cong \overline{PB}$



To prove

The point P is the on the right bisector of \overline{AB}

Construction

Join P to C, the midpoint of \overline{AB}

Proof

Statements	Reasons
In $\triangle ACP \leftrightarrow \triangle BCP$	
$\overline{PA} \cong \overline{PB}$	Given
$\overline{PC} \cong \overline{PC}$	Common
$\overline{AC} \cong \overline{BC}$	Construction
$\therefore \triangle ACP \cong \triangle BCP$	$S.S.S \cong S.S.S$
$\angle ACP \cong \angle BCP$ _____ (i)	Corresponding angles of congruent triangles
But $m\angle ACP + m\angle BCP = 180^\circ$ _____ (ii)	Supplementary angles
$\therefore m\angle ACP = m\angle BCP = 90^\circ$	From (i) and (ii)
i.e. $\overline{PC} \perp \overline{AB}$ _____ (iii)	$m\angle ACP = 90^\circ$ (Proved)
Also $\overline{CA} \cong \overline{CB}$ _____ (iv)	Construction
$\therefore \overline{PC}$ is a right bisector of \overline{AB}	from (iii) and (iv)
i.e. the point P is on the right bisector of \overline{AB}	

